



JIANGSU KHONOR CHEMICALS CO.,LIMITED

CERTIFICATE OF ANALYSIS			
Product Name	Ascorbic acid	Batch No.	3250112104
Analysis Standard	BP2016/USP39	Quantity	18000KGS
Manufacture Date	FEB.16.2025	Expiry Date	FEB.15.2029

Analysis Contents	Analysis Standard	Analysis Results
Characteristics	White or almost White crystals Crystalline Powder	Pass
Identification	Positive Reaction	Positive
Melting Point	About 190°C	191.10°C
PH(with 5% water solution)	2.1-2.6	2.35
Clarity Of Solution	Clear	Clear
Colour Of Solution	≤BY ₇	<BY ₇
Copper	≤5ppm	<5ppm
Heavy Metals	≤10ppm	<10ppm
Mercury	≤0.1mg/kg	<0.1mg/kg
Lead	≤2mg/kg	<2mg/kg
Arsenic	≤3ppm	<3ppm
Oxalic Acid	≤0.2%	<0.2%
Iron	≤2ppm	<2ppm
Impurity E	≤0.2%	<0.2%
Loss of Drying	≤0.4%	<0.4%
Sulphate Ash(Residue On Ignition)	≤0.1%	<0.1%
Specific Optical Rotation	+20.5° - +21.5°	+20.88°
Residual Solvents	Pass	Pass
Assay	99.0%-100.5%	99.66%
Conclusion	The Above-Mentioned Product Conforms To BP2016/USP39	

Approved by: JIA JINFENG
LWPC-3C1-25-02-110

Rechecker:SU YI Tester:REN HUI